14	FOR YOU, THE FACT THAT YOU LIVE IN COLORADO MEANS YOUR
	ANNUAL DOSE IS EVEN HIGHER THAN PERSONS IN OTHER AREAS
	OF THE COUNTRY. THE NATURAL RADIATION IN THE ROCKS AND
	SOIL, PLUS THE INCREASE IN COSMIC RADIATION FROM BEING
	HIGHER MEAN YOU RECEIVE A DOSE TWO TO THREE TIMES
	HIGHER THAN PERSONS LIVING IN OTHER LOCATIONS.
15	FINALLY, WE ALSO RECEIVE SMALL AMOUNTS OF RADIATION
	FROM OTHER SOURCES, SUCH AS TRAVEL, FOOD, AND MATERIALS
	SUCH AS GRANITE.
16	SO HOW DOES THIS RELATE TO THE RISK OF DEVELOPING
	CANCER?
	WE ALL FACE A 20% CHANCE OF DEVELOPING A FATAL CANCER
	DURING OUR LIFETIME.
	IF YOU WERE EXPOSED TO A RADIOACTIVE SOURCE AND
	RECEIVED THE MAXIMUM ALLOWABLE DOSE FOR EMERGENCY
	RESPONDERS, THE CHANCE OF DEVELOPING CANCER ONLY
	INCREASES BY 4/10THS OF ONE PERCENT. AND THIS LEVEL OF
	EXPOSURE IS EXTREMELY UNLIKELY TO EVER OCCUR FOR
	REASONS YOU WILL UNDERSTAND WHEN WE DISCUSS THE ISSUES
	OF PACKAGING.
17	THIS CONCLUDES MODULE 2. OUR NEXT MODULE, THREE, WILL
	INTRODUCE YOU TO SOME OF THE BASICS OF RADIATION.

9 IT IS TRUE THAT YOUR SENSES – SMELL, HEARING, SIGHT, TAST AND TOUCH CANNOT DETECT RADIATION. THIS MAY BE WHY HAVE SOME UNCERTAINTY ABOUT APPROACHING THESE MATERIALS.  YOU CAN – AND SHOULD – USE YOUR SIGHT TO LOOK FOR CLU AND INFORMATION, YOUR EARS TO LISTEN, AND YOUR COMMISSENSE TO ASSIST YOU.  10 THE LAST ITEM ON OUR LIST – RADIATION CAUSES CANCER 11 THERE IS NO GETTING AROUND IT – YES RADIATION CAN CAUS CANCER.  BUT IT IS ESSENTIAL TO PUT THE RISK INTO PERSPECTIVE OF TOTHER RISKS IN OUR LIVES.  THE POTENTIAL FOR RADIATION CAUSING CANCER IS DIRECTL RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO TISOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATION ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THERE IS.	P	RESENCE OF RADIATION
AND INFORMATION, YOUR EARS TO LISTEN, AND YOUR COMMOSENSE TO ASSIST YOU.  10 THE LAST ITEM ON OUR LIST – RADIATION CAUSES CANCER  11 THERE IS NO GETTING AROUND IT – YES RADIATION CAN CAUSE CANCER.  BUT IT IS ESSENTIAL TO PUT THE RISK INTO PERSPECTIVE OF TOTHER RISKS IN OUR LIVES.  THE POTENTIAL FOR RADIATION CAUSING CANCER IS DIRECTL RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THE SOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATICALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THER IS.	9 I7 A	I IS TRUE THAT YOUR SENSES – SMELL, HEARING, SIGHT, TASTE, ND TOUCH CANNOT DETECT RADIATION. THIS MAY BE WHY WE IAVE SOME UNCERTAINTY ABOUT APPROACHING THESE
THERE IS NO GETTING AROUND IT – YES RADIATION CAN CAUS CANCER.  BUT IT IS ESSENTIAL TO PUT THE RISK INTO PERSPECTIVE OF TOTHER RISKS IN OUR LIVES.  THE POTENTIAL FOR RADIATION CAUSING CANCER IS DIRECTL RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THE SOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATIC ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THER IS.	A	OU CAN – AND SHOULD – USE YOUR SIGHT TO LOOK FOR CLUES AND INFORMATION, YOUR EARS TO LISTEN, AND YOUR COMMON ENSE TO ASSIST YOU.
CANCER.  BUT IT IS ESSENTIAL TO PUT THE RISK INTO PERSPECTIVE OF TOTHER RISKS IN OUR LIVES.  THE POTENTIAL FOR RADIATION CAUSING CANCER IS DIRECTL RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THE SOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATION ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THER IS.	10 T	HE LAST ITEM ON OUR LIST – RADIATION CAUSES CANCER
OTHER RISKS IN OUR LIVES.  THE POTENTIAL FOR RADIATION CAUSING CANCER IS DIRECTL RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THE SOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATION ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.		HERE IS NO GETTING AROUND IT – YES RADIATION CAN CAUSE ANCER.
RELATED TO THE DOSE WE RECEIVE – THE INTENSITY OF THE RADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THE SOURCE.  BUT EXPOSURE DOES NOT MEAN THAT YOU WILL DEVELOP CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATIC ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.		UT IT IS ESSENTIAL TO PUT THE RISK INTO PERSPECTIVE OF THE OTHER RISKS IN OUR LIVES.
CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATIC ALL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS AMONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN SHIPPED VIA FEDEX.  12 WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WE CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.  13 TO HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER H	R R	ADIATION AND THE LENGTH OF TIME WE ARE EXPOSED TO THAT
CANCER CAUSING AGENT OR CARCINOGEN.  THE LARGEST STUDY OF THIS INCLUDED 86,000 SURVIVORS OF THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE OF 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.  TO HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER H	C A A	CANCER. CONSIDER THE PERSONS WHO WORK WITH RADIATION LLL OF THE TIME, YET THERE IS NO INCREASE IN CANCERS MONG THESE WORKERS. RADIOACTIVE MATERIAL IS EVEN
THE ATOMIC BOMBS USED DURING WORLD WAR 2.  IT WOULD HAVE BEEN NORMAL TO EXPECT 7,244 CANCERS TO HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE O 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.  13 TO HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER H		WHAT WE DO KNOW IS THAT RADIATION IS A RELATIVELY WEAK ANCER CAUSING AGENT OR CARCINOGEN.
HAVE OCCURRED IN A GROUP THIS SIZE.  THE ACTUAL NUMBER OF CANCER WAS 7,578 – AN INCREASE OF 334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF IS.  TO HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER H		•
<ul> <li>334. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THEF</li> <li>13 TO HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER H</li> </ul>		
· ·	3.	34. AND THIS IS IN THE MOST HEAVILY EXPOSED GROUP THERE
1		O HELP PUT THIS IN BETTER PERSPECTIVE, LET'S CONSIDER HOW MUCH RADIATION WE RECEIVE ON A REGULAR BASIS.
AS SHOWN IN THIS CHART, WE ALL RECEIVE AN ANNUAL DOSE JUST FROM NATURALLY OCCURRING RADIATION.		,

## FOSTER On Line Narration Script

## MODULE: 2

SLIDE	NARRATION
1	WELCOME TO MODULE 2 OF FOSTER. IN THIS MODULE WE WILL
	DISCUSS SOME OF THE TRUTHS, LIES, FACTS AND MYTHS
	SURROUNDING RADIOACTIVITY AND RADIOACTIVE MATERIALS.
2	THE FIRST MYTH IS THAT RADIOACTIVITY CAN MAKE YOU GLOW.
3	WHILE EXTREMELY INTENSE RADIATION CAN MAKE SOME
	MATERIALS GLOW, EXPOSURE TO RADIATION THIS INTENSE
	WOULD QUICKLY PROVE FATAL.
	IN ADDITION, THE ONLY PLACE RADIATION EXISTS AT THIS LEVEL
	IS WITHIN THE CORE OF A NUCLEAR REACTOR.
4	NUMBER 2 ON OUR LIST IS RADIATION CAUSES MUTATIONS
5	DESPITE WHAT HAS BEEN PORTRAYED IN MOVIES, RADIATION
	INDUCED MUTATIONS ARE NOT COMMON.
	IT IS TRUE THAT EXPOSURE TO SOME TYPES OF RADIATION MAY
	CAUSE DAMAGE TO DNA AND RESULT IN A MUTATION.
	DECALIGE EEMALES ADE DODN WITH ALL OF THE ECCS THEY WILL
	BECAUSE FEMALES ARE BORN WITH ALL OF THE EGGS THEY WILL
	EVER PRODUCE ALREADY IN THEIR OVARIES, THE POTENTIAL FOR SUCH GENETIC EFFECTS ARE GREATER FOR FEMALES THEN FOR
	MALES. MALES PRODUCE NEW SPERM ON A REGULAR BASIS,
	THEREFORE THE GENETIC EFFECTS ARE ONLY TRANSITORY.
	THEREFORE THE GENETIC EFFECTS ARE ONLY TRANSPORT.
	IN ANY CASE, THE RISK TO YOU, SHOULD YOU HAVE TO RESPOND
	TO AN INCIDENT INVOLVING RADIOLOGICAL MATERIALS IS
	EXTREMELY SMALL.
6	NUMBER THREE – BEING EXPOSED TO RADIATION MAKES YOU
	BECOME RADIOACTIVE.
7	NOT ENTIRELY FALSE – IF YOU WERE EXPOSED TO A HIGH
	ENOUGH LEVEL OF NEUTRON RADIATION THE CALCIUM IN YOUR
	BONES WOULD BECOME RADIOACTIVE. BUT THIS EXTREME
	LEVEL OF RADIATION WOULD BE ALMOST INSTANTLY FATAL.
	WHAT YOU SHOULD BE AWARE OF IS THAT BEING
	CONTAMINATED WITH RADIOACTIVE MATERIAL DOES MAKE YOU
	"RADIOACTIVE." WE WILL TALK MORE ABOUT THIS IN THE NEXT
	MODULE.
8	NUMBER 4 – YOU CANNOT USE YOUR SENSES TO DETECT THE